PROGRAM INDEX OF VOLUME 10

ABID

Aton	nic Ph	ysics		
		Cat.no.		
1	1	ABID	EIGLAB (Fortran). Eigenstates and eigenvalues of labelling operators for O(3) bases of U(3) representations. W. McKay, J. Patera, R.T. Sharp.	
1	56	AAKL	0001 WKAPPAKQ (Fortran). Reduced matrix elements of summations of one—particle tensor products. W.—D. Klotz. Subroutines required by this program are AAGD, ACQB, ACQC.	
1	70	AAKL	000A CORRECTION 18/07/75 (Fortran). A general program to calculate the matrix of the spin—orbit interaction. W.—D. Klotz.	
4	223	ACWJ	PAMPA (Fortran). Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case. C. Gaussorgues, R.D. Piacentini, A. Salin.	
4	257	AAGY	000ACORRECTION 25/09/75 (Fortran). Form factor program for Rayleigh scattering of gamma rays by bound electrons. F. Smend, M. Schumacher.	
6	434	AAKG	000A CORRECTION 5/09/75 (Fortran). A non—relativistic SCF atomic program to compute one—electron energies, total energies and Slater integrals. J.H. Wood, M. Boring.	
6	436	AAKM	000A CORRECTION 26/1/76 (Fortran). CIV3 — a general program to calculate configuration interaction wave functions and electric—dipole oscillator strengths. A. Hibbert.	
Crysta	llogra	phy		
1	42	AAQC	FIREFLY IV (Fortran). A program for the calculation of X—ray reflection intensities, Part 2. I.F. Ferguson. Subroutine required by this program is AAQB. See other version of this program AAQB.	
Electro	ostatic	5		
3	194	ABUM	MUCALC (Fortran). Determination of SSOR—SI iteration parameters. J.B. Campbell.	
Fluid	Dynar	nics	THE RESERVE THE PROPERTY OF TH	
3 1	194	ABUM	MUCALC (Fortran). Determination of SSOR—SI iteration parameters. J.B. Campbell.	
4 2	251	ABUG	000A CORRECTION 15/8/75 (Fortran). MEDUSA — a one—dimensional laser fusion code. J.P. Christiansen, D.E.T.F. Ashby, K.V. Roberts.	
Genera	al Pur	pose		

EIGLAB (Fortran). Eigenstates and eigenvalues of labelling operators for O(3) bases of U(3) representations. W. McKay, J. Patera, R.T. Sharp.

Nu 1

1

2

3

3

5

6

6

6

Op

3

Pla

1

2

3

3

Rac

5

Soli

Atomic Physics (cont.)

Issue	Page	Cat.no.
-------	------	---------

1	30	ACWC	HYMNIA (Fortran). HYMNIA — band matrix package for solving eigenvalue problems. R. Gruber.
3	167	ABUK	OLYMPUS FOR CDC 6500 (Fortran). OLYMPUS control and utility package for

- 3 167 ABUK OLYMPUS FOR CDC 6500 (Fortran). OLYMPUS control and utility package for the CDC 6500. M.H. Hughes, K.V. Roberts, G.G. Lister. See other versions of this program ABUF, ABUJ.
- 4 234 ACWF FORTRAN CALCULATION OF C.A'S (Fortran). Calculation of Canterbury approximants. P.R. Graves—Morris, D.E. Roberts. See other version of this program ACWG.
- 4 234 ACWG ALGOL CALCULATION OF C.A'S (Algol). Calculation of Canterbury approximants. P.R. Graves—Morris, D.E. Roberts. See other version of this program ACWF.
- 4 245 ACWL CLEBSCH—GORDAN EXPLICIT FORMULAS (Formac). Explicit formulas for Clebsch—Gordan coefficients. G. Rudnicki—Bujnowski.
- 6 343 ACWH MINUIT (Fortran). MINUIT: a system for function minimization and analysis of the parameter errors and correlations. F. James, M. Roos.

Geophysics

- 6 421 ACSG H—PARALLEL FEMT—2D (Fortran). A finite element program package for magnetotelluric modelling. E. Kisak, P. Silvester. Subroutine required by this program is ACSJ.
- 6 421 ACSH E—PARALLEL FEMT—2D (Fortran). A finite element program package for magnetotelluric modelling. E. Kisak, P. Silvester. Subroutine required by this program is ACSJ.
- 6 421 ACSJ ZFORMATS (Fortran). A finite element program package for magnetotelluric modelling. E. Kisak, P. Silvester.

Laser Physics

- 2 117 ACWD TLASER (Fortran). TLASER a CO2 laser kinetics code. A.R. Davies, K. Smith, R.M. Thomson.
- 3 155 ABUL RAMSES (Fortran). RAMSES: a two—dimensional, PIC type laser pulse propagation code. H.D. Dudder, D.B. Henderson. Subroutine required by this program is ABUF.
- 4 251 ABUG 000A CORRECTION 15/8/75 (Fortran). MEDUSA a one—dimensional laser fusion code. J.P. Christiansen, D.E.T.F. Ashby, K.V. Roberts.

Molecular Physics

- 4 223 ACWJ PAMPA (Fortran). Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case. C. Gaussorgues, R.D. Piacentini, A. Salin.
- 6 368 ABWC VIBOCO (Fortran). Vibrational energies of CO2. W.C. Maguire.
- 6 375 ACWI VIBAD (Fortran). Rovibrational cross sections from reactance matrices calculated in adiabatic nuclei approximation. R.J.W. Henry.

Nucl	ear Pl	hysics	
1	1	ABID	EIGLAB (Fortran). Eigenstates and eigenvalues of labelling operators for O(3) bases of U(3) representations. W. McKay, J. Patera, R.T. Sharp.
1	71	ABGO	000ACORRECTION 16/5/75 (Fortran). Program for spectra and cross—section calculations within the pre—equilibrium model of nuclear reactions. E. Betak.
2	87	ABPE	OSCILLATOR BRACKET (Fortran). Calculations of harmonic oscillator brackets. D.H. Feng, T. Tamura.
3	145	ABMM	SPEC3 (Fortran). A general—purpose routine for the analysis of spectroscopic peak shapes. E.D. von Meerwall.
3	182	ACWK	NUCLEAR POTENTIAL (Fortran). Solution of bound state problems in nuclear shell model with momentum dependent potentials. M.A.K. Lodhi, B.T. Waak.
5	293	ABPF	DEFORMED QUASIPARTICLES (Fortran). Deformed quasiparticle states in a Woods—Saxon potential and coupled to rotational states of the core. B. Hird, K.H. Huang. Subroutine required by this program is ABMA.
6	385	ABMO	PAKINE3 (Fortran). Kinematics of three—body reactions. P.A. Assimakopoulos.
6	385	ABMP	PAKIPLOT (Fortran). Kinematics of three—body reactions. P.A. Assimakopoulos.
6	401	ABPD	PATIWEN (Fortran). PATIWEN — a code for Coulomb—nuclear interference calculations. D.H. Feng, A.R. Barnett. Subroutines required by this program are ABPC, ABPC0001.
Opti	re.		
3	155	ABUL	RAMSES (Fortran). RAMSES: a two-dimensional, PIC type laser pulse
3	155	ABOL	propagation code. H.D. Dudder, D.B. Henderson. Subroutine required by this program is ABUF.
Plast	na Ph	vsics	
1	11	ACWB	THALIA (Fortran). THALIA — a one—dimensional magnetohydrodynamic stability program using the method of finite elements. K. Appert, D. Berger, R. Gruber, F. Troyon, K.V. Roberts. Subroutines required by this program are ABUK, ACWC.
2	98	ABSC	ABEL (Fortran). Inversion of Abel's integral equation by a direct method. L.S. Fan, W. Squire.
3	155	ABUL	RAMSES (Fortran). RAMSES: a two—dimensional, PIC type laser pulse propagation code. H.D. Dudder, D.B. Henderson. Subroutine required by this program is ABUF.
3	194	ABUM	MUCALC (Fortran). Determination of SSOR—SI iteration parameters. J.B. Campbell
4	251	ABUG	000A CORRECTION 15/8/75 (Fortran). MEDUSA — a one—dimensional laser fusion code. J.P. Christiansen, D.E.T.F. Ashby, K.V. Roberts.
Radia	ative T	Transfer	
5	304	AAAH	SLAB3 (Fortran). Transfer of line radiation in optically thick media allowing for transport of excitation energy: the resonant doublet. C.V. Kunasz, P.B. Kunasz.
Solid	State	Physics	
1	67	ACMJ	0001 SYMMETRY AND BANDSTRUCTURE (Fortran). Symmetry and bandstructure. J.Th.M. de Hosson.
2	104	ACKJ	NORMAL COORDINATE ANALYSIS (Fortran). Normal coordinate analysis of crystals. J.Th.M. de Hosson.

AUTHOR INDEX OF VOLUME 10

Issu	e Page		
1	•	K. Appert	THALIA — a one—dimensional magnetohydrodynamic stability program using the method of finite elements.
4	203	R.J. Ascuitto	Systems aspects of large scale nuclear science programming.
4	251	D.E.T.F. Ashby	Erratum notice. MEDUSA — a one—dimensional laser fusion code.
6	385	P.A. Assimakopoulos	Kinematics of three—body reactions.
4	203	E.E. Ayoub	Systems aspects of large scale nuclear science programming.
6	401	A.R. Barnett	PATIWEN — a code for Coulomb—nuclear interference calculations.
1	11	D. Berger	THALIA — a one—dimensional magnetohydrodynamic stability program using the method of finite elements.
1	71	E. Betak	Erratum notice. Program for spectra and cross—section calculations within the pre—equilibrium model of nuclear reactions.
5	259	D. Biskamp	European Physical Society Computational Physics Group.
6	434	M. Boring	Erratum notice. A non—relativistic SCF atomic program to compute one—electron energies, total energies and Slater integrals.
4	203	D.A. Bromley	Systems aspects of large scale nuclear science programming.
3	194	J.B. Campbell	Determination of SSOR—SI iteration parameters.
5	282	J.M.F. Chamayou	Bicubic spline function approximation of the solution of the fast neutron transport equation.
4	251	J.P. Christiansen	Erratum notice. MEDUSA — a one—dimensional laser fusion code.
4	258	J.P. Christiansen	Book review.
5	264	J.P. Christiansen	Adiabatic relaxation to 1D MHD pressure equilibrium. EQUIL: a Fortran module and test program.
2	117	A.R. Davies	TLASER — a CO2 laser kinetics code.
1	67	J.Th.M. de Hosson	Symmetry and bandstructure.
2	104	J.Th.M. de Hosson	Normal coordinate analysis of crystals.
3	155	H.D. Dudder	RAMSES: a two-dimensional, PIC type laser pulse propagation code.
3	133	M.L. Elizey Jr.	Complete crystal field calculations including spin—orbit interaction and paramagnetic effects.
2	98	L.S. Fan	Inversion of Abel's integral equation by a direct method.
2	87	D.H. Feng	Calculations of harmonic oscillator brackets.
6	401	D.H. Feng	PATIWEN — a code for Coulomb—nuclear interference calculations.
1	42	I.F. Ferguson	A program for the calculation of X—ray reflection intensities, Part 2.
4	223	C. Gaussorgues	Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case.

4	234	P.R. Graves-Morris	Calculation of Canterbury approximants.
1	11	R. Gruber	THALIA — a one—dimensional magnetohydrodynamic stability program using the method of finite elements.
1	30	R. Gruber	HYMNIA — band matrix package for solving eigenvalue problems.
3	155	D.B. Henderson	RAMSES: a two-dimensional, PIC type laser pulse propagation code
6	375	R.J.W. Henry	Rovibrational cross sections from reactance matrices calculated in adiabatic nuclei approximation.
6	436	A. Hibbert	Erratum notice. CIV3 — a general program to calculate configuration interaction wave functions and electric—dipole oscillator strengths.
5	293	B. Hird	Deformed quasiparticle states in a Woods—Saxon potential and coupled to rotational states of the core.
5	293	K.H. Huang	Deformed quasiparticle states in a Woods—Saxon potential and coupled to rotational states of the core.
3	167	M.H. Hughes	OLYMPUS control and utility package for the CDC 6500.
6	343	F. James	MINUIT: a system for function minimization and analysis of the parameter errors and correlations.
6	421	E. Kisak	A finite element program package for magnetotelluric modelling.
1	56	W.—D. Klotz	Reduced matrix elements of summations of one—particle tensor products.
1	70	W.—D. Klotz	Erratum notice. A general program to calculate the matrix of the spin—orbit interaction.
5	304	C.V. Kunasz	Transfer of line radiation in optically thick media allowing for transport of excitation energy: the resonant doublet.
5	304	P.B. Kunasz	Transfer of line radiation in optically thick media allowing for transport of excitation energy: the resonant doublet.
3	167	G.G. Lister	OLYMPUS control and utility package for the CDC 6500.
3	182	M.A.K. Lodhi	Solution of bound state problems in nuclear shell model with momentum dependent potentials.
5	264	J.W. Long	Adiabatic relaxation to 1D MHD pressure equilibrium. EQUIL: a Fortran module and test program.
6	368	W.C. Maguire	Vibrational energies of CO2.
1	1	W. McKay	Eigenstates and eigenvalues of labelling operators for O(3) bases of U(3) representations.
5	260	J. Nadrchal	Summer school on computing techniques in physics.
1	1	J. Patera	Eigenstates and eigenvalues of labelling operators for O(3) bases of U(3) representations.
4	223	R.D. Piacentini	Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case.
4	234	D.E. Roberts	Calculation of Canterbury approximants.
1	11	K.V. Roberts	THALIA — a one—dimensional magnetohydrodynamic stability program using the method of finite elements.
3	167	K.V. Roberts	OLYMPUS control and utility package for the CDC 6500.
4	251	K.V. Roberts	Erratum notice. MEDUSA — a one—dimensional laser fusion code.

5	264	K.V. Roberts	Adiabatic relaxation to 1D MHD pressure equilibrium. EQUIL: a Fortran module and test program.
6	343	M. Roos	MINUIT: a system for function minimization and analysis of the parameter errors and correlations.
4	245	G. Rudnicki—Bujnowski	Explicit formulas for Clebsch—Gordan coefficients.
4	223	A. Salin	Multistate molecular treatment of atomic collisions in the impact parameter approximation. I. Integration of coupled equations and calculation of transition amplitudes for the straight line case.
4	257	M. Schumacher	Erratum notice. Form factor program for Rayleigh scattering of gamma rays by bound electrons.
1	1	R.T. Sharp	Eigenstates and eigenvalues of labelling operators for O(3) bases of U(3) representations.
6	421	P. Silvester	A finite element program package for magnetotelluric modelling.
4	257	F. Smend	Erratum notice. Form factor program for Rayleigh scattering of gamma rays by bound electrons.
2	117	K. Smith	TLASER — a CO2 laser kinetics code.
2	73	V.H. Smith Jr.	A strategy for the numerical evaluation of Fourier sine and cosine transforms to controlled accuracy.
2	80	V.H. Smith Jr.	Ring and other contributions to the higher virial coefficients.
6	438	V.H. Smith Jr.	Erratum. Ring and other contributions to the higher virial coefficients.
2	98	W. Squire	Inversion of Abel's integral equation by a direct method.
5	262	L.M. Taff	SPYing on real—time computers to improve performance.
2	87	T. Tamura	Calculations of harmonic oscillator brackets.
2	73		A strategy for the numerical evaluation of Fourier sine and cosine transforms to controlled accuracy.
2	80	A.J. Thakkar	Ring and other contributions to the higher virial coefficients.
6	438		Erratum. Ring and other contributions to the higher virial coefficients.
2	117	R.M. Thomson	TLASER — a CO2 laser kinetics code.
1	11		THALIA — a one—dimensional magnetohydrodynamic stability program using the method of finite elements.
3	145		A general—purpose routine for the analysis of spectroscopic peak shapes.
3	182		Solution of bound state problems in nuclear shell model with momentum dependent potentials.
6	434		Erratum notice. A non—relativistic SCF atomic program to compute one—electron energies, total energies and Slater integrals.